

SharXS 1200W Brilliant

SharXS Brilliant | Metallhalogenlampor, tvåsidigt socklad



Användningsområde

- Concert and effect lighting

Produktfördelar

- Natural tone of light with CRI as high as 90
- Modular design with overall length of 135 mm

Produktegenskaper

- High thermal load capacity thanks to eXtreme Seal (XS) technology - enables high pinch temperatures of up to 450 °C
- Varm omstart möjlig



Tekniska data


Elektriska data

Nominell watttal	120000 W
Nominell märkspänning	900 V
Tändspänning	5,0 / 35 kVp
Märkström	133 A
Lampspänning	133 A

Fotometrisk data

Nominell Ljusflöde	110000 lm
Luminans	41000 cd/cm ²
Färgtemperatur	6100 K
Färgåtergivningsindex Ra	94

Mått



Diameter	210 mm
Längd	1360 mm
Avstånd a / LCL	57,5 mm

Temperaturer och driftsförhållanden

Maximalt tillåten pinchtemperatur	450 °C
-----------------------------------	--------

Livslängder

Livslängd	750 h
-----------	-------

Tillägg produktdata

Socket	SFc10-4
--------	---------

Produktdatablad

Produkt anmärkning	Finns även som OEM-paket med 30 enheter utan räfflad muttrar/XS = eXtreme Seal (högsta tillåtna folie temperatur 450 °C)
--------------------	--

Användningsområden

Brinnläge	Universal
-----------	-----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899562622
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Produktdatablad

Säkerhetsanvisningar

Because of their high luminance, UV radiation and high internal pressure during operation, SharXS lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Appropriate filters must ensure that UV radiation is reduced to an acceptable level. Mercury is released if the lamp breaks. Special safety precautions must be taken. Information on safety and handling is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

Logistiska data

Produktnummer	Produktbeskrivning	Förpackningsenhet (Styck/Enhet)	Dimensioner (längd x bredd x höjd)	Volym	Bruttovikt
4052899562622	SharXS 1200W Brilliant	Transportförpackning g 1	182 mm x 87 mm x 58 mm	0.92 dm ³	97.00 g
4062172069274	SharXS 1200W Brilliant	Transportförpackning g 10	312 mm x 186 mm x 194 mm	11.26 dm ³	1120.00 g

Produktkoden gäller minsta tillåtna beställningskvantitet. En transportförpackning kan innehålla en eller flera produkter. Vid orderläggning, vänligen ange en eller flera transportförpackningar.

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.