

BATTERYcharge SOLAR 20W



Works In overcast conditions

Doesn't require direct sunlight to provide power



USB-A and USB-C charging

Remotely charge your devices such as phones, tablets and power banks



IP65 water resistance

Designed to handle outdoor conditions with ease



Compact, Foldable Solar Panel for independent charging of devices

The OSRAM BATTERYcharge SOLAR 20W is a compact, foldable solar panel designed to keep your devices powered off-grid. Featuring mono-crystalline solar panels in a robust, water-resistant case (IP65), it delivers up to 20W of free solar power, perfect for charging phones, tablets, and laptops via USB-C and USB-A ports (5V, 2.4A). Lightweight at just 0.8kg, it unfolds in seconds with an integrated stand for optimal sun exposure. The LED indicator confirms charging status, and it performs even in overcast conditions. Easy to use, durable, and built for adventure, it's the ideal travel companion for camping, hiking, and off-grid power.

Datablad produktfamilj

Tekniska data

| Produktbeskrivning | Produktinformation | Allmän produktinformation | Elektriska data | |
|-------------------------|--|---------------------------|---|---|
| | Tillämpning (kategori- och produktspec.) | Ordernummer | Max batteristorlek för laddning av 24 V | Max batteristorlek för laddning av 12 V |
| BATTERYcharge SOLAR 20W | Solar battery maintainer | OFSP20 | n/a | N/A Ah |

| Produktbeskrivning | Underhållsström (upp till) | Laddningsström (upp till) | Fysiska egenskaper och dimensioner | |
|-------------------------|----------------------------|---------------------------|------------------------------------|---------|
| | | | Höjd | Bredd |
| BATTERYcharge SOLAR 20W | 2.4 A | N/A | 263.0 mm | 28.0 mm |

| Produktbeskrivning | Längd | Mått | Information om miljö och regelverk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|-------------------------|----------|------------------|---|----------------------------|
| | | Nätkabelns längd | Kabellängd för batteriklämmor | Kandidatförteckning Ämne 1 |
| BATTERYcharge SOLAR 20W | 203.0 mm | 2.2 m | N/A | Lead |

| Produktbeskrivning | CAS-nr för ämne 1 | Instruktioner för säker användning | Deklarationsnummer i SCIP-databasen |
|-------------------------|-------------------|---|--------------------------------------|
| BATTERYcharge SOLAR 20W | 7439-92-1 | Identifieringen av ämnet på kandidatlistan är tillräcklig för att artikeln ska kunna användas på ett säkert sätt. | 3eb402b7-f3de-4565-bdb4-b62e962b88c9 |

Datablad produktfamilj

Appliktionsråd

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.