

BATTERYcharge SOLAR 200W



WORKS IN OVERCAST CONDITIONS

Works In overcast conditions

Doesn't require direct sunlight to provide power



LEISURE BATTERY

Suitable for 12V leisure batteries

With over-charge protection and 200W power delivery, ideal for seasonal vehicles



WATER RESISTANT CASING

IP65 water resistance

Designed to handle outdoor conditions with ease



High-Performance 200W Solar Panel for Reliable Off-Grid Power

The OSRAM BATTERYCharge SOLAR 200W is a high-performance, portable solar panel designed to charge and maintain 12V leisure batteries. Featuring mono-crystalline solar panels in a robust aluminum frame, it delivers up to 200W of free solar power, suitable for caravans, campervans, RVs, and outdoor use.

With a 12V/20A charge controller and USB output, it prevents overcharging while allowing you to also charge small devices. Its IP65 water-resistant design and sturdy aluminum stand ensure durability, while the plug-and-play setup makes it easy to use. Lightweight and foldable, it's ideal for off-grid adventures, even in overcast conditions. Comes with a 5 m battery lead and connecting clamps for

immediate use.

Datablad produktfamilj

Tekniska data

| Produktbeskrivning | Produktinformation | Allmän produktinformation | Elektriska data | |
|--------------------------|--|---------------------------|---|---|
| | Tillämpning (kategori- och produktspec.) | Ordernummer | Max batteristorlek för laddning av 24 V | Max batteristorlek för laddning av 12 V |
| BATTERYcharge SOLAR 200W | Solar battery maintainer | OHPS200 | n/a | N/A Ah |

| Produktbeskrivning | Underhållsström (upp till) | Laddningsström (upp till) | Fysiska egenskaper och dimensioner | |
|--------------------------|----------------------------|---------------------------|------------------------------------|---------|
| | | | Höjd | Bredd |
| BATTERYcharge SOLAR 200W | 9.9 A | N/A | 700.0 mm | 40.0 mm |

| Produktbeskrivning | Längd | Mått | Kabel längd för batteriklämmor | Information om miljö och regelverk Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |
|--------------------------|----------|------------------|--------------------------------|--|
| | | Nätkabelns längd | | Kandidatförteckning Ämne 1 |
| BATTERYcharge SOLAR 200W | 801.0 mm | 10.8 m | 1.0 m | Lead |

| Produktbeskrivning | CAS-nr för ämne 1 | Instruktioner för säker användning | Deklarationsnummer i SCIP-databasen |
|--------------------------|-------------------|--|--------------------------------------|
| BATTERYcharge SOLAR 200W | 7439-92-1 | Identiferingen av ämnet på kandidatlistan är tillräcklig för att artikeln ska kunna användas på ett säkert sätt. | 6264e1b6-8329-4688-ae3e-97063604c835 |

Datablad produktfamilj

Appliktionsråd

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.